



Cardinal
Számítástechnikai Kft.

1025 Budapest, Pusztaszeri út 91. +36 1 345 7980 <http://www.cardinal.hu>

UniCredit Bank Spectra ISO20022 import format

Cardinal Kft., 2016-2019.

Table of contents

pain.001.001.02	3
pain.001.001.03	31
pain.001.001.06	55

UniCredit Bank Spectra pain.001.001.02 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a corresponding package. The transaction type is decided according to the following rules:					
	HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement old format domestic HUF transfer with VIBER processing mode (HUF). HCT transfer, when transferring HUF from own account to another domestic account (HCT). Foreign currency transfer when transferring foreign currency to own account (DVE). SEPA credit transfer, when transferring Euro to EEA (SCX). FX transfer in any other case (CCY).					
pain.001.001.02	<pain.001.001.02>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.02	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTim e		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxns>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++GroupingCode	<Grpg>	[1..1]	CodeSet		"SNGL"	
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	

CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty +++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation	<PmtInfr>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInfrId>	[0..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInfr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocallInstrument	<LclInstrm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocallInstrument ++++Prtry	<Prtry>	[1..1]	Text	4	Execution code	CCY
					CORT SALA TREA CASH DIVI GOVT INTE LOAN PENS SECU SSBE SUPP TAXS TRAD VATX HEDG INTC WHLD	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp	<CtgyPurp>	[0..1]	Text	4		HCT SCX

						HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Name	<Nm>	[1..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId ++++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId ++++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++SocialSecurityNb	<SclSctyNb>	[0..1]	Text	35	Social security number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++AInRegnNb	<AInRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++BBAN	<BBAN>	[0..1]	Account	30	GIRO account to be debited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent ++FinancialInstitutionId	<FinInstnId>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BIC>	[1..1]	Text	11	Debtor bank ID, ignored	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId +++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId +++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++SocialSecurityNb	<SclSctyNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++AInRegnNb	<AInRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++MplyIdNb	<MplyIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HUF HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level +++++Code	<Cd>	[1..1]	Text	4	URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	Text	4	CORT SALA TREA CASH DIVI GOVT INTE LOAN PENS SECU SSBE SUPP TAXS TRAD VATX HEDG INTC WHLD	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	SCX CCY

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation	<XchgRateInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation ++++RateType	<RateTp>	[1..1]	CodeSet		AGRD - Special treasury rate	CCY SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BEI	<BEI>	[0..1]	Text	10		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++PrtryId ++++++Id	<Id>	[1..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++PrtryId ++++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++SocialSecurityNb	<ScISctyNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++AInRegnNb	<AInRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++OthrId ++++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++OthrId ++++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent	<IntrmyAgt1>	[0..1]	±		Correnspondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[1..1]	Text	11	BIC code of correnspondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++ProprietaryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++ProprietaryId ++++++Id	<Id>	[1..1]	Text	35	ID of of correnspondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++NmAndAdr	<NmAndAdr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++NameAndAddress +++++Name	<Nm>	[0..1]	Text	35	Name of of correnspondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PstlAdr	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PostalAddress +++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of of correnspondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1]	±		Creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[0..1]	Text	11	BIC code of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ProprietaryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ProprietaryId +++++Id	<Id>	[1..1]	Text	35	ID of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NmAndAdr	<NmAndAdr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PstlAdr	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PostalAddress +++++Country	<Ctry>	[0..3]	Text	2	Country code of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PostalAddress +++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++PrtryId ++++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++PrtryId ++++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++SocialSecurityNb	<SclSctyNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++AInRegnNb	<AInRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++OthrId ++++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++OthrId ++++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++BBAN	<BBAN>	[0..1]	Account	30	GIRO account to be credited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++ProprietaryAccount	<PrtryAcct>	[0..1]				HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++ProprietaryAccount ++++++Identification	<Id>	[1..1]	Text	4+1 +25 4	Account proxy id type: EMAL - email address TELE - phone number TXNB - TAX id (corporate) TXID - TAX id (private person) and value. Eg: "EMAL:example@gmail.com"	HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++PrtryId ++++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++PrtryId ++++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++SocialSecurityNb	<SclSctyNb>	[0..1]	Text	35	Social security number	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++AInRegnNb	<AInRegnNb>	[0..1]	Text	35	Alien registration number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++OthrId ++++++Id	<Id>	[0..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++OthrId ++++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..1]	±		Instruction for the creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent ++++Code	<Cd>	[1..1]	CodeSet		CHQB - Cheque issuing for beneficiary HOLD - Transferred amount remains at the receiving bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation	<RmtInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Unstructured	<Ustrd>	[0..1]	Text	140		HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured	<Strd>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation	<CdtrRefInf>	[0..1]	±			

UniCredit Bank Spectra pain.001.001.03 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a correnponding package. The transaction type is decided according to the following rules:					
	HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement old format domestic HUF transfer with VIBER processing mode (HUF). HCT transfer, when transferring HUF from own account to another domestic account (HCT). Foreign currency transfer when transferring foreign currency to own account (DVE). SEPA credit transfer, when transferring Euro to EEA (SCX). FX transfer in any other case (CCY).					
CustomerCreditTransferInitiation	<CstmrCdtTrfInitn>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.03	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTim e		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxns>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	

CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty +++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation	<PmtInfl>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInflId>	[1..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++NumberOfTransactions	<NbOfTx>	[0..1]	Text		number of transactions within PaymentInformation	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m.	18	control sum (of the transactions within PaymentInformation)	SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInfl>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocalInstrument	<LclInstrm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocalInstrument ++++Prtry	<Prtry>	[1..1]	Text	4	Execution code	CCY
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose	<CtgyPurp>	[0..1]	±		category purpose	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose ++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp ++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BICorBEI	<BICOrBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other +++++Id	<Id>	[1..1]	Account		GIRO account to be debited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BIC>	[1..1]	Text	11	Debtor bank ID, ignored	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BICorBEI	<BICOrBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HUF HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<Svclvl>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level +++++Code	<Cd>	[1..1]	Text	4	URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Code	<Cd>	[1..1]	Text	4	category purpose	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation	<XchgRateInf>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation ++++RateType	<RateTp>	[1..1]	CodeSet		AGRD - Special treasury rate	CCY SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BICorBEI	<BICOrBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<Prvld>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent	<IntrmyAgt1>	[0..1]	±		Correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[1..1]	Text	11	BIC code of correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++OtherId ++++++Id	<Id>	[1..1]	Text	35	ID of of correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of of correnspontent bank	CCY

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of correspondent bank	CCY	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1]	±		Creditor bank	CCY	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[0..1]	Text	11	BIC code of creditor bank	CCY	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++OtherId	<Othr>	[0..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++OtherId ++++++Id	<Id>	[1..1]	Text	35	ID of creditor bank	CCY	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	CCY	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1]	±				

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++Country	<Ctry>	[0..1]	Text	2	Country code of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress ++++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress ++++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BICorBEI	<BICOrBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++Id	<Id>	[1..1]	Account /Text	24/2 54	GIRO account to be credited, or HCT beneficiary account proxy id	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++SchemeName ++++++Proprietary	<Prtry>	[1..1]	Text	4	Account proxy id type: EMAIL - email address TELE - phone number TXNB - TAX id (corporate) TXID - TAX id (private person)	HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++BICorBEI	<BICOrBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..1]	±		Instruction for the creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent ++++Code	<Cd>	[1..1]	CodeSet		CHQB - Cheque issuing for beneficiary HOLD - Transferred amount remains at the receiving bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation	<RmtInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Unstructured	<Ustrd>	[0..1]	Text	140		HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured	<Strd>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation	<CdtrRefInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation ++++++Type	<Tp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation ++++++Type ++++++CodeOrProprietary	<CdOrPrtry>	[1..1]	±			

UniCredit Bank Spectra pain.001.001.06 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a corresponding package. The transaction type is decided according to the following rules:					
	HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement old format domestic HUF transfer with VIBER processing mode (HUF). HCT transfer, when transferring HUF from own account to another domestic account (HCT). Foreign currency transfer when transferring foreign currency to own account (DVE). SEPA credit transfer, when transferring Euro to EEA (SCX). FX transfer in any other case (CCY).					
CustomerCreditTransferInitiation	<CstmrCdtTrfInitn>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.06	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTim e		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxns>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty ++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	

CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInf>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInfId>	[1..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++NumberOfTransactions	<NbOfTxs>	[0..1]	Text		number of transactions within PaymentInformation	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m.	18	control sum (of the transactions within PaymentInformation)	SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocalInstrument	<LclInstrm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++LocalInstrument ++++Prtry	<Prtry>	[1..1]	Text	4	Execution code	CCY
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose	<CtgyPurp>	[0..1]	±		category purpose	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose ++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp ++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX

						HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited		HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other	<Othr>	[0..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other +++++Id	<Id>	[1..1]	Account		GIRO account to be debited		HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId	<FinInstnId>	[1..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BICFI>	[1..1]	Text	11	Debtor bank ID, ignored		
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor		
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±				
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±				

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HUF HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<Svclvl>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level +++++Code	<Cd>	[1..1]	Text	4	URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	HUF SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Code	<Cd>	[1..1]	Text	4	category purpose	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation	<XchgRateInf>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++ExchangeRateInformation ++++RateType	<RateTp>	[1..1]	CodeSet		AGRD - Special treasury rate	CCY SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<Prvld>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent	<IntrmyAgt1>	[0..1]	±		Correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BICFI>	[1..1]	Text	11	BIC code of correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++OtherId ++++++Id	<Id>	[1..1]	Text	35	ID of of correnspontent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of of correnspontent bank	CCY

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1] ±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++IntermediaryAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of of correpondent bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1] ±			Creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1] ±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BICFI>	[1..1]	Text	11	BIC code of creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++OtherId	<Othr>	[0..1] ±				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++OtherId ++++++Id	<Id>	[1..1]	Text	35	ID of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1] ±				

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++Country	<Ctry>	[0..1]	Text	2	Country code of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress ++++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress ++++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++Id	<Id>	[1..1]	Account /Text	24/2 54	GIRO account to be credited, or HCT beneficiary account proxy id	HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other ++++++SchemeName ++++++Proprietary	<Prtry>	[1..1]	Text	4	Account proxy id type: EMAIL - email address TELE - phone number TXNB - TAX id (corporate) TXID - TAX id (private person)	HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35		SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization ++++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++SchemeName ++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..1]	±		Instruction for the creditor bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForCreditorAgent ++++Code	<Cd>	[1..1]	CodeSet		CHQB - Cheque issuing for beneficiary HOLD - Transferred amount remains at the receiving bank	CCY
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation	<RmtInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Unstructured	<Ustrd>	[0..1]	Text	140		HUF HCT SCX CCY DVE HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured	<Strd>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation	<CdtrRefInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation ++++++Type	<Tp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RemittanceInformation ++++Structured +++++CreditorReferenceInformation ++++++Type ++++++CodeOrProprietary	<CdOrPrtry>	[1..1]	±			